

The following list identifies additional terms of use that apply to specific Products. Each Product listing identifies one or more footnotes that apply to that Product. These footnotes supplement the terms of this Agreement. The definitions for each footnote follow the list. Unless otherwise noted in the applicable Ordering Document, extensions to a Product follow the same scope of use as that granted for the corresponding Product.

Desktop Products

- ArcGIS Desktop (Advanced, Standard, or Basic) (26)
- ArcGIS Earth (20; 65)
- ArcGIS Explorer Desktop (20)
- ArcGIS for AutoCAD (20)
- ArcPad (13)
- ArcReader (20)
- ArcGIS for Personal Use (3; 26)

Server Products

- ArcGIS Enterprise
 - Standard or Advanced (17; 21; 23; 31; 87)
 - Workgroup Standard or Advanced (21; 23; 28; 29; 30; 87)
 - ArcGIS GIS Server (Standard or Advanced) (31)
 - ArcGIS GIS Server Basic (31; 39)
 - ArcGIS GIS Server Workgroup (Standard or Advanced) (28; 29; 30)
 - ArcGIS GIS Server Workgroup Basic (39)
 - ArcGIS for Maritime: Server (2)
- ArcGIS Enterprise Optional Capability Servers:
 - ArcGIS Image Server, ArcGIS GeoEvent Server, ArcGIS GeoAnalytics Server, and ArcGIS Notebook Server Standard (31)
- ArcGIS Enterprise Workgroup Optional Capability Servers:
 - ArcGIS Image Server, ArcGIS GeoEvent Server, ArcGIS GeoAnalytics Server, and ArcGIS Notebook Server Standard (4)
- Esri Business Analyst for Server
 - Workgroup (28; 29; 30; 31; 39)
 - Enterprise (31; 39)
- World Geocoder for ArcGIS Basic (67)

Developer Tools

- AppStudio for ArcGIS Standard (11; 16; 19)
- ArcGIS Runtime SDK for Android, iOS, Java, macOS, .NET, Qt, or WPF (16; 19)
- ArcGIS Runtime for Android, iOS, Java, Mac OS X, .NET, Qt, or WPF
 - Lite (15)
 - Basic or Standard (1; 14; 15; 18)
 - Advanced (14; 15; 18)
- ArcGIS Engine Developer Kit and Extensions (16; 19; 22; 26)
- ArcGIS Engine for Windows/Linux and Extensions (15; 22; 26)
- ArcGIS Web API for JavaScript (16; 64)
- ArcGIS Developer Subscription (24; 26)
- ArcGIS Developer Subscription Builder, Professional, Premium, or Enterprise (77)
- Esri CityEngine SDK and Procedural Runtime (19; 84)
- Esri File Geodatabase API (47)

Mobile

- Navigator for ArcGIS (14)

Other

- ArcGIS Hub (85)
- ArcGIS Indoors (86)
- ArcGIS Maps for Adobe Creative Cloud Complimentary user (74)
- Insights for ArcGIS (17)
- [Site Scan for ArcGIS Operator extension license \(32; 33\)](#)

Online Services

- ArcGIS Online Developer Deployment Subscription is available through the ArcGIS Developer Subscription:
 - + Free Subscription (66; 68; 75; 76; 79; 81)
 - + Paid Subscription (66; 68; 75; 76; 79)
 - Education Programs (Free or Paid Subscriptions) (66; 68; 70; 71; 75; 76; 79; 81)
 - NGO/NPO, Press/Media Programs (Free or Paid Subscription) (66; 68; 70; 71; 72; 75; 76; 79; 81)
- ArcGIS Online subscriptions are available through multiple Selling Programs:
 - Commercial Retail, EAs; and Government Programs (23; 66; 68; 69; 70; 77; 78; 82)
 - Education Programs (23; 66; 68; 69; 70; 71; 78; 81; 82)
 - Non-profit Programs (23; 66; 68; 69; 70; 71; 78; 81; 82)
- Public Plan (66; 68; 74; 75; 76; 80; 81)
Customers under the following categories have these additional rights:
 - Commercial Retail (72)
 - enterprise agreements (72)
 - Government (72)
 - NGO/NPO (72)
 - Press/Media Programs (72)
 - Education Programs (71)
- ArcGIS AEC Project Delivery Subscription (83)
- ArcGIS Analytics for IoT (25)

Footnotes:

1. May not be used to edit an enterprise geodatabase via Direct Connect.
2. Not for use in navigation.
3. Licensed for personal, noncommercial use only.
4. – Limited to 1 four-core server.
 - Can be installed on a separate machine.
- 5–10. Reserved.
11. Applications built with AppStudio for ArcGIS Standard are subject to the terms of use for ArcGIS Runtime Standard Level.
12. Reserved.
13. Licensed as a Dual Use License.
14. May be used for navigational purposes.
15. Licensed as a Deployment License.
16. Customer may use the SDKs or APIs to create Value-Added Applications and distribute and license those Value-Added Applications to its end users to use anywhere not prohibited under export regulation.
17. Customer shall not redistribute Oracle JDBC Driver or its documentation that is included with this Product. Oracle is a third-party beneficiary of this Agreement with respect to the Oracle JDBC Driver.
18. The Deployment License is per Value-Added Application per computer for stand-alone applications.
19. License may not be used to develop Internet or server-based Value-Added Applications.
20. Licensed as a Redistribution License.
21. See Master Agreement <http://www.esri.com/legal/software-license> for additional terms of use for Named User Licenses.
22. a. An end user must acquire a license in either ArcGIS Engine for Windows/Linux Software or other ArcGIS Desktop Software (Basic, Standard, or Advanced) to obtain the right to run an ArcGIS Engine application on 1 computer; and
b. The ArcGIS Engine for Windows/Linux extensions shall not be used in combination with ArcGIS Desktop Software to run ArcGIS Engine Value-Added Applications. A single user can have multiple ArcGIS Engine Value-Added Applications installed on 1 computer for use only by that end user.

23. System to System Communication
- a. Customer may use a basic service login to enable one-way, read-only, system-to-system communications from ArcGIS Enterprise or ArcGIS Online to other third-party, enterprise business system(s) in the customer's organization. Customer may use a Viewer Named User Credential or Level 1 Named User Credential as a basic service login until Esri implements an actual service login credential. A specific Viewer Named User Credential or Level 1 Named User Credential used as a basic service login credential may only be used for system-to-system integration purposes and may not also be used by a Named User to access the system.
 - b. Customer may use a standard service login to enable two-way, read-write, system-to-system communications between ArcGIS Enterprise or ArcGIS Online and other third-party, enterprise business system(s) in the customer's organization. Customer may use an Editor (or higher) Named User Credential or Level 2 Named User Credential as a standard service login until Esri implements an actual service login credential. A specific Editor (or higher) Named User Credential or Level 2 Named User Credential used as a standard service login credential may only be used for system-to-system integration purposes and may not also be used by a Named User to access the system.
24. Software may be used only for the purposes of development, testing, and demonstration of a prototype Value-Added Application and creating map caches. Customer may use Value-Added Applications and map caches with ArcGIS Enterprise Staging Server Licenses and Deployment Server Licenses. Software and Data may be installed on multiple computers for use by any ArcGIS Developer Subscribers with Builder or higher plan subscriptions; all other Software is licensed as a Single Use License.
25. Includes a given compute and storage capacity as described in the applicable Ordering Document. Additional IoT Compute Units and IoT Storage Units may be purchased as needed. Esri will notify Customer's subscription account administrator when Customer's compute and storage consumption reaches approximately 75-percent of the capacity allocated to Customer through Customer's subscription. Esri reserves the right to suspend Customer's creation of additional Analytics for IoT services or suspend existing Analytics for IoT services if Customer has utilized all of its compute or storage capacity. Esri will promptly restore Customer's access to its Analytics for IoT services once Customer has purchased additional IoT Compute Units or IoT Storage Units as applicable.
26. The geodatabase is restricted to 10 gigabytes of Customer's data.
27. Reserved.
28. Use is limited to 10 concurrent end users of applications other than ArcGIS Enterprise Workgroup or ArcGIS GIS Server Workgroup applications. This restriction includes use of ArcGIS Desktop Software, ArcGIS Engine Software, and third-party applications that connect directly to any ArcGIS Enterprise Workgroup or ArcGIS GIS Server Workgroup geodatabase. There are no limitations on the number of connections from web applications.
29. Software requires a supported version of SQL Server Express. Supported versions are listed with the system requirements for the product on the Esri website.
30. Use is restricted to a maximum of 10 gigabytes of Customer's data. All components must be installed on a single server.
31. Includes a Failover License.
- ~~32. Reserved.~~
- [332. The use of this Software does not include a pilot's license \(e.g., FAA, EASA, etc.\) to operate a drone.](#)
- [33. Customer may only use online storage provided with this Software to store Customer Content collected or processed through this Software.](#)
- [34–38. Reserved.](#)
39. Any editing functionality included with ArcGIS GIS Server is not permitted for use with ArcGIS GIS Server Basic and ArcGIS GIS Server Workgroup Basic.
- 40–46. Reserved.
47. Customer may develop and distribute Value-Added Applications that use Esri File Geodatabase API to Customer's end users.
- 48–53. Reserved.
54. Reserved.
- 55–63. Reserved.
64. Value-Added Applications for web deployment must be used in conjunction with other Esri Products. Third-party technologies may also be used in conjunction with Value-Added Applications as long as the Value-Added Applications are always used in conjunction with other Esri Product(s).

65. May only be used in conjunction with other Esri Product(s). Third-party technologies may also be used in conjunction with ArcGIS Earth as long as ArcGIS Earth is always used in conjunction with other Esri Products.
66. Only Customers with an active ArcGIS Online subscription may store geocoded results generated by World Geocoding Service.
67. Limited to 250,000,000 geocodes per annual subscription.
68. Customer may use the data accessible through Infographics Service for display purposes only and may not save any data accessible through this service.
69. May be used for any business purpose of Customer's organization.
70. May be used for development and test purposes for Customer's organization.
71. May be used for teaching purposes in educational organizations.
72. May be used for the internal business purposes of Customer's organization.
73. Reserved.
74. May be used for personal use.
75. Customer may enable third-party use of Value-Added Applications only by publicly sharing the Value-Added Application(s) using Sharing Tools. Customer may not use this subscription to power a Value-Added Application for its own internal business use unless Customer is an educational institution using the Value-Added Application for teaching purposes only, a qualified NGO/NPO organization, or a media or press organization.
76. Customer is not permitted to create private groups or participate in any private groups.
77. Includes a Commercial App Deployment license, which enables Customer to make Value-Added Applications available to third parties for a fee.
78. Customer may use this subscription to create or participate in private groups.
79. Each subscription is limited to 1,000,000 geosearch transactions per month in conjunction with Customer's subscription. Transactions include both basemap data and geocode search transactions. One basemap data transaction is equivalent to eight 256x256 tile requests. One geocode search transaction is equivalent to one address or place. If the results are stored in any manner such as after batch geocoding, the stored results are not counted toward the transaction limit. However, storage does consume Service Credits.
80. May permit registered students of an education institution to directly access the Online Services and share a single subscription between more than 1 registered student for teaching purposes only.
81. Customer may not make Value-Added Applications available to third parties for a fee.
82. A Named User may embed its Named User Credential in an ArcGIS API for Python script solely for the purpose of automating a workflow to be used exclusively by the Named User whose Named User Credential is embedded in the script.
83. Customer must use a separate AEC Project Delivery Subscription for each Customer client ("**Client**"). Customer may (i) use the AEC Project delivery Subscription solely to collaborate on project work with its Client; and (ii) provide Client with Named User access to the AEC Project Delivery Subscription to enable Client to access the AEC Project Delivery Subscription to collaborate on project work that Customer performs for Client. Client may not use the Named User License for any other purpose. Customer is solely responsible for Client's compliance with these terms of use and will ensure that Client stops using the AEC Project Delivery Subscription when the project ends.
84. Does not include a Deployment License for commercial use. Does include a Deployment License for non-commercial or educational use.
85. Software licenses and subscriptions included with ArcGIS Hub may only be used to support the community initiatives enabled by ArcGIS Hub. Customer may allow 3rd parties to be Named Users of ArcGIS Hub for the sole purpose of engaging in community activities. Customers may allow employees, agents, consultants, or contractors to be Named Users of ArcGIS Hub for the sole purpose of administering, configuring, maintaining, and supporting community initiatives through ArcGIS Hub. No other use of software licenses and subscriptions included with ArcGIS Hub is permitted.
86. Customer may use the software licenses and subscriptions included with ArcGIS Indoors solely to enable the capabilities of ArcGIS Indoors as defined in the ArcGIS Indoors Documentation. No other use of software licenses and subscriptions included with ArcGIS Indoors is permitted.
87. Accessing Parcel Fabric services provided by ArcGIS Enterprise is prohibited except through ArcGIS Pro Standard and ArcGIS Pro Advanced.