



Publication Date:

September 2024

ArcGIS Web Editor Installation Guide

Essential tasks and best practices for setting up Web Editor with ArcGIS Enterprise 11.3 on Windows and Linux.

Task checklist

TASK	COMPLETE
1. Meet ArcGIS Enterprise deployment requirements	<input type="checkbox"/>
2. Download the installation package	<input type="checkbox"/>
3. Run the installation program	<input type="checkbox"/>
4. Uninstall Web Editor	<input type="checkbox"/>
5. Learn more	<input type="checkbox"/>

1. Meet ArcGIS Enterprise deployment requirements

A [base ArcGIS Enterprise deployment](#) on Windows or Linux is required to support Web Editor in ArcGIS Enterprise 11.3. For a tutorial on how to create a base deployment, see [Tutorial: Set up a base ArcGIS Enterprise deployment](#).

To install Web Editor in ArcGIS Enterprise, you must have elevated privileges in the deployment environment.

Note: Web Editor is not available for ArcGIS Enterprise on Kubernetes 11.3.

Licensing

The administrator of your ArcGIS organization must grant you the required user type, role, and privileges to access Web Editor.

The required user types, roles, and privileges are as follows:

- GIS Professional Basic, GIS Professional Standard, or GIS Professional Advanced user type
- Data Editor, User, Publisher, or Administrator role, or a custom role with Edit privileges

The ArcGIS Advanced Editing user type extension is also required to edit a utility network, manage versions, or edit data using branch versioning. The Version Management privilege (included with User, Publisher, and Administrator roles) is also required to manage versions.

[Learn more about Web Editor requirements and support](#)

2. Download the installation package

Before you can install Web Editor in your ArcGIS Enterprise 11.3 deployment, you must download the installation package from My Esri.

Note: Web Editor will be included in the deployment for ArcGIS Enterprise 11.4 and higher. Separate installation packages for Web Editor are only available for ArcGIS Enterprise 11.3.

Complete the following steps to download the installation package:

1. Sign in to [My Esri](#) with your Esri account that is associated with your customer number.
2. Click **Downloads** and choose **ArcGIS Enterprise (Windows)** or **ArcGIS Enterprise (Linux)**.

The **Accept Terms and Conditions** window appears.

3. Check the **I have read and accept the terms and conditions of the Master Agreement** check box and click **Accept**.
4. On the **Download** dialog box, verify the version is 11.3.
5. Change the download language if necessary.
6. Collapse the **Product components** and **Data and content** groups.
7. In the **Apps** group, find **ArcGIS Web Editor**.
8. Click **Expand details** to view information on ArcGIS Web Editor.
9. Click **Download**.

The installation package is downloaded and saved to your browser's default folder (for example, Downloads).

You are now ready to run the installation program.

3. Run the installation program

The steps for running the installation program depend on whether your ArcGIS Enterprise deployment is on [Windows](#) or [Linux](#).

Note: The Web Editor setup must be run on all machines running the Portal for ArcGIS component. For high-availability configurations of ArcGIS Enterprise, the Web Editor setup must be installed on both the primary and secondary portal machines.

Install on Windows

Complete the following steps to run the installation program on Windows:

1. Browse to the location of the downloaded installation file and double-click the setup.exe file.
2. During the installation, read the license agreement and accept it, or close it if you do not agree with the terms.
3. Click **Install**.

The installation program detects the ArcGIS Enterprise component on your machine. Portal for ArcGIS must be detected for the installation to run.

Note: Portal for ArcGIS will restart automatically as part of the installation process.

When the setup completes, the Web Editor web app is ready to use. Look for the Web Editor icon in the app launcher. Or type the URL to Web Editor in a browser, for example, <https://host.domain.com/webadaptor/apps/webeditor> (where host, domain, and webadaptor are replaced by the information about your portal).

If you're working in a high-availability environment, repeat the installation until the client is installed on all portal machines.

The default installation directory is C:\Program Files\ArcGIS\Portal\apps\webeditor.

Install on Linux

Complete the following steps to run the installation program on Linux:

1. Sign in to your machine as a user with administrator privileges.

Note: Installing Web Editor as a root user is not supported.

Use the following syntax to run the installation: `./WebEditor-Setup.sh`

Note: Portal for ArcGIS will restart automatically as part of the installation process.

When the setup completes, the Web Editor web app is ready to use. Look for the Web Editor icon in the app launcher. Or type the URL to Web Editor in a browser, for example, `https://host.domain.com/webadaptor/apps/webeditor` (where host, domain, and webadaptor are replaced by the information about your portal).

If you're working in a high-availability environment, repeat the installation until the client is installed on all portal machines.

4. Uninstall Web Editor

You can uninstall Web Editor from your ArcGIS Enterprise deployment. The steps for uninstalling the program depend on whether your ArcGIS Enterprise deployment is on [Windows](#) or [Linux](#).

Uninstall on Windows

Complete the following steps to uninstall Web Editor on Windows:

1. Open **Control Panel** and click **Program and Features**.
2. From the **Programs** list, choose the Web Editor version you have installed on your machine.
3. Select **Uninstall** to uninstall Web Editor.

Note: Portal for ArcGIS will restart automatically as part of the uninstall process.

4. If you are working in a high-availability deployment, repeat the uninstallation steps on all Portal for ArcGIS machines.

Uninstall on Linux

To uninstall Web Editor on Linux, run the following scripts from the command line:

```
<portalInstallDir>/uninstall_WebEditor.sh
```

Note: Portal for ArcGIS will restart automatically as part of the uninstall process.

If you are working in a high-availability deployment, run the uninstallation scripts on all Portal for ArcGIS machines.

Learn more

If you've followed the steps in this guide, you've successfully installed or uninstalled ArcGIS Web Editor for your organization.

The resources in this section will help you troubleshoot, answer questions, and find further training courses.

- The ArcGIS Web Editor help is a key resource for learning how to use the software in general and to perform specific tasks. Search by keyword to find documentation, such as [Introduction to ArcGIS Web Editor](#), [Requirements and support](#), and [What's new](#).
- Join the ArcGIS Web Editor community on [Esri Community](#). Here you can join discussions with other Web Editor users and Esri staff, ask questions, or submit ideas for features you want to see in the future. For more news direct from the Web Editor team, follow the [ArcGIS Blog](#).
- Contact [Esri Technical Support](#) for technical issues or [Esri Sales](#) for licensing questions.